CITY COUNCIL ATLANTA, GEORGIA

03- ^O-1080

AN ORDINANCE

Z-03-42

BY: ZONING COMMITTEE

DATE FILED: 6-10-03

BE IT ORDAINED BY THE COUNCIL OF THE CITY OF ATLANTA, GEORGIA, as follows:

SECTION 1. That the Zoning Ordinance of the City of Atlanta be amended and the maps established in connection therewith be changed so that the following property located at 2033 Adams Street, S.W. and 556 Saint Johns Avenue, S.W., be changed from the R-4A (Single-Family Residential) District, to the RG-3 (Residential General Sector-3) District (Tract 1) and the I-1 (Light Industrial) District (Tract 2) to wit:

ALL THAT TRACT or parcel of land lying and being in Land Lot 90 of the 14th District, Fulton County, Georgia, being more particularly described by the attached legal description.

SECTION 2. If this amendment is approved under the provisions of Section 16-02.003 of the Zoning Ordinance of the City of Atlanta, entitled, "Conditional Development," as identified by the use of the suffice "C" after the district designation in Section 1 above, the Director, Bureau of Buildings, shall issue a building permit for the development of the above-described property only in compliance with the attached conditions. Any conditions hereby approved (including any conditional site plan) do not authorize the violation of any district regulations. District regulation variances can be approved only by application to the Board of Zoning Adjustment

SECTION 3. That the maps referred to, now on file in the Office of the Municipal Clerk, be changed to conform with the terms of this ordinance.

SECTION 4. That all ordinances or parts of ordinances in conflict with the terms of this ordinance are hereby repealed.


George W. Jones St. Johns Avenue

All that parcel of land lying or being in Land Lot 90, 14th District, City of Atlanta, Fulton County County, as shown on survey for Norsouth Corporation by C & C Land Surveyors, Inc. dated February 17, 2003, and more particularly described as follows:

Commence at the intersection of the west right-of-way of Adams Street (40-foot right-of-way) and the south right-of-way of St. Johns Avenue (40-foot right-of-way).


Thence along the south right-of-way of St Johns Avenue North 88 degrees 55 minutes 43 seconds West a distance of 104.57 feet to a 1" open top pipe being the Point of Beginning. Thence leaving the south right-of-way of St Johns Avenue South 00 degrees 39 minutes 08 seconds West a distance of 180.41 feet to a point on the north side of a 10 foot alley; Thence along the north side of the alley North 88 degrees 55 minutes 39 seconds West a distance of 75.00 feet to a point; Thence leaving the alley North 00 degrees 39 minutes 08 seconds East a distance of 180.34 feet to a point on the south right-of-way of St. Johns Avenue; Thence along the right-of-way South 88 degrees 58 minutes 53 seconds East a distance of 75.00 feet to the Point of Beginning.

Said parcel of land contains 13,528 square feet or 0.311 acre of land.



Z-03-42

Tract 1 124A to 12G-3 Page 1 of 4



OR REPRESENTATIONS REGARDING INFORMATION SHOWN HEREON PERTAINING TO EASEMENTS, RIGHTS-OF-WAY, SETBACK LINES, AGREEMENTS, RESERVATIONS, AND OTHER SIMILAR MATTERS. THE UTILITIES SHOWN ARE SHOWN FOR THE CLIENTS' CONVENIENCE ONLY. THERE MAY BE OTHER UNDERGROUND UTILITIES NOT SHOWN. THE SURVEYOR ASSUMES RESPONSIBILITY ONLY FOR THE UTILITIES SHOWN.THIS PLAT IS FOR THE BENEFIT OF THE PARTIES IN THE TITLE BLOCK. ANY USE BY THIRD PARTIES IS AT THEIR OWN RISK. THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE PRECISION OF ONE IN 37,007 FEET AND AN ANGULAR ERROR OF 3" PER ANGLE POINT AND WAS ADJUSTED BY USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED AND IS FOUND TO BE ACCURATE WITHIN ONE FOOT IN 224,886 FEET.

EQUIPMENT UTILIZED: ANGULAR -TOPCON 303, LINEAR - E.D.N EOP - Edge of Pavement OE - Drainage Easement CONC - Concrete IPF - Iron pin found IPS - Iron pin set OI - Open Top IPS - Iron pin set OI - Crimp Top IPS - Iron pin set IPS - CT - Crimp Top IPS - Iron pin set IPS - Iron pi LEGEND: A - Arc Length
OI - Open Top
CI - Crimp Top
CB - Catch Basin IPS - 1/2 JARB - 1/2 JARB - 3/8 Rebar R/W - Right-of-way OC - Back of Curb mer Easemen - Radius CH - Chord MH - Manhole - Drop Inlet Junction Box Building Line

CORPORATION NO EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE INFORMATION SHOWN HEREON IS TO BE EXTENDED TO ANY PERSONS OR ENTITIES OTHER THAN THOSE SHOWN HEREON.



IF THE SIGNATURE SHOWN IS NOT IN RED, IT IS NOT A TRUE ORIGINAL BY C & C LAND SURVEYORS, INC

THE NORSOUTH CORPORATION

	SUBDIMISION -				
R					
	LOT -	BLOCK -	UNIT -		
	LAND LOT - 90	DISTRICT - 14th	SECTION -		
	CITY - ATLANTA				
	COUNTY - FULTON		STATE - GEORGIA		
	REFERENCE PLAT BOOK	/PAGE -	DISC - 2002		
	FIELD SURVEY DATE :		SCALE: 1" = 50'		
	CAD DRAFTING DATE : (06-5-03			
	REVISIONS :	J	OB No : A 02-0699-04		

C & C LAND SURVEYORS, INC. 3459 Acworth Due West Road Suite 218 770-975-3933 ~ Fox: 770-975-3501

Duncan Development Co. Rezone to R-63 2033 Adams Street

All that parcel of land lying or being in Land Lot 90, 14th District, City of Atlanta, Fulton County County, and more particularly described as follows:

Begin at the intersection of the west right-of-way of Adams Street (40-foot right-of-way) and the south right-of-way of St. Johns Avenue (40-foot right-of-way).


Thence along the west right-of-way of Adams Street South 00 degrees 30 minutes 58 seconds West a distance of 120.42 feet to a point;

Thence leaving the right-of-way of Adams Street North 44 degrees 55 minutes 43 seconds West a distance of 55.00 feet to a point; Thence South 00 degrees 30 minutes 58 seconds West a distance of 60.00 feet to a point on the north right-of-way of a 10 foot alley; Thence along the north right-of-way North 88 degrees 55 minutes 43 seconds West a distance of 50.00 feet to a point; Thence leaving the right-of-way North 00 degrees 30 minutes 58 seconds East a distance of 180.41 feet to a point on the south right-of-way of Adams Street; Thence along the right of way of St. Johns Avenue South 88 degrees 55 minutes 43 seconds East a distance of 104.57 to the Point of Beginning.

Said parcel of land contains 15,604 square feet or 0.358 acre of land.

Toub 1 R4A to RG-3 Page 3 of 4 937 F. F. C. JUN 1 0 2003 - 10 PLANNING PLANNING Z-03-42

W:\Archive\2002\2002\legal-Descriptions\02-0699-Metropolitan_Duncan-R63-zoning.doc



BENEFIT OF AN ABSTRACT OF TITLE; THEREFORE, THE UNDER-SIGNED AND C&C LAND SURVEYORS, INC. MAKE NO GUARANTEES OR REPRESENTATIONS REGARDING INFORMATION SHOWN HEREON PERTAINING TO EASEMENTS, RIGHTS-OF-WAY, SETBACK LINES, AGREEMENTS, RESERVATIONS, AND OTHER SIMILAR MATTERS. THE UTILITIES SHOWN ARE SHOWN FOR THE CLIENTS' CONVENIENCE ONLY. THERE MAY BE OTHER UNDERGROUND UTILITIES NOT SHOWN. THE SURVEYOR ASSUMES RESPONSIBILITY ONLY FOR THE UTILITIES SHOWN.THIS PLAT IS FOR THE BENEFIT OF THE PARTIES IN THE TITLE BLOCK. ANY USE BY THIRD PARTIES IS AT THEIR OWN RISK. THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE PRECISION OF ONE IN N/A FEET AND AN ANGULAR ERROR OF N/A PER ANGLE POINT AND WAS NOT ADJUSTED. OPEN ENDED TRAVERSE UTILIZED TO GATHER FIELD DATA. THIS PLAT HAS BEEN CALCULATED AND IS FOUND TO BE ACCURATE WITHIN ONE FOOT IN 74,933 FEET. EQUIPMENT UTILIZED: ANGULAR -TOPCON 303, LINEAR - E.D.M.

DE - Droinage Easement
IPF - Iron pin found
IPS - Iron pin set
4RB - 1/2" Rebar
\$JRB - 3/8" Rebar
R/W - Right-of-way EOP - Edge of Povement CONC - Concrete LEGEND: - Arc Length Radius OT - Open Top CT - Crimp Top CB - Calch Basin ChordManhole Right-of-way Bock of Curb - Drop Inlet

Junction Box

Building Line

Angle Iron

PREPARED FOR THE EXCLUSIVE USE OF NORSOUTH CORPORATION, NO EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE INFORMATION SHOWN HEREON IS TO BE EXTENDED TO ANY PERSONS OR ENTITIES OTHER THAN THOSE SHOWN HEREON.



IF THE SIGNATURE SHOWN IS NOT IN RED, IT IS NOT A TRUE ORIGINAL BY C & C LAND SURVEYORS

NORSOUTH CORPORATION

SUBDIVISION - REMAP OF ST. JOHN PROPERTY		
LOTS - 12 AND PART OF 13	UNIT -	
LAND LOT - 90 DISTRICT - 4th	SECTION -	
CITY - ATLANTA		
COUNTY - FULTON	STATE - GEORGIA	
PLAT BOOK/PAGE - 15/35	DISC -	
FIELD SURVEY DATE : 02-06-03	SCALE: 1" = 40"	
CAD DRAFTING DATE : 02-17-03	JOB No.: A 02-0699	
REVISIONS: 06-09-03 Added Bill	Board Area	

C & C LAND SURVEYORS, INC. 3459 Acworth Due West Road Suite 218 770-975-3933 ~ Fax: 770-975-3501

Duncan Development Co. 2033 Adams Street BillBoard

All that parcel of land lying or being in Land Lot 90, 14th District, City of Atlanta, Fulton County County, and more particularly described as follows:

Commence at the intersection of the west right-of-way of Adams Street (40-foot right-of-way) and the south right-of-way of St. Johns Avenue (40-foot right-of-way).

Thence along the west right-of-way of Adams Street South 00 degrees 30 minutes 58 seconds West a distance of 120.42 feet to the Point of Beginning. Thence continuing along the west right-of-way of Adams Street South 00 degrees 30 minutes 58 seconds West a distance of 50.95 feet to a point on the northwest right-of-way of Interstate Highway 75 and 85; Thence along the right-of-way of Interstate Highway 75 and 85 South 44 degrees 09 minutes 09 seconds West a distance of 12.38 feet to a point on the north right-of-way of a 10 foot alley; Thence along the north right-of-way North 88 degrees 55 minutes 43 seconds West a distance of 46.46 feet to a point; Thence leaving the alley North 00 degrees 30 minutes 58 seconds East a distance of 60.00 feet to a point; Thence South 88 degrees 55 minutes 43 seconds East a distance of 55.00 feet to the Point of Beginning.

Said parcel of land contains 3,261 square feet or 0.075 acre of land.


DET - 10 2003 L 11

2-03-42

1rub 2

R4A to I-1

W:\Archive\2002\2002\eggl-Descriptions\02-0699-Legal-Metropolitan Duncan-B-Bill Board.doc



BENEFIT OF AN ABSTRACT OF TITLE; THEREFORE, THE UNDER-SIGNED AND C&C LAND SURVEYORS, INC. MAKE NO GUARANTEES OR REPRESENTATIONS REGARDING INFORMATION SHOWN HEREON PERTAINING TO EASEMENTS, RIGHTS-OF-WAY, SETBACK LINES, AGREEMENTS, RESERVATIONS, AND OTHER SIMILAR MATTERS. THE UTILITIES SHOWN ARE SHOWN FOR THE CLIENTS' CONVENIENCE ONLY. THERE MAY BE OTHER UNDERGROUND UTILITIES NOT SHOWN. THE SURVEYOR ASSUMES RESPONSIBILITY ONLY FOR THE UTILITIES SHOWN THIS PLAT IS FOR THE BENEFIT OF THE PARTIES IN THE TITLE BLOCK. ANY USE BY THIRD PARTIES IS AT THEIR OWN RISK. THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE PRECISION OF ONE IN N/A FEET AND AN ANGULAR ERROR OF N/A PER ANGLE POINT AND WAS NOT ADJUSTED. OPEN ENDED TRAVERSE UTILIZED TO GATHER FIELD DATA. THIS PLAT HAS BEEN CALCULATED AND IS FOUND TO BE ACCURATE WITHIN ONE FOOT IN 74,933 FEET. EQUIPMENT UTILIZED: ANGULAR -TOPCON 303, LINEAR - E.D.M.

DE - Drainage Easement EOP - Edge of Povement CONC - Concrete LEGEND:

OT - Open Top CT - Crimp Top CB - Catch - Chord - Manhole - Drop Inlet - Catch Basin Angle Iron JB Ri - Junction Box
- Building Line IPF -IPS -IARB IARB R/W - Urainage Eusen
- Iron pin found
- Iron pin sel
RB - 1/2" Rebor
RB - 3/8" Rebor
W - Right-of-way

OF NORSOUTH CORPORATION. NO EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE INFORMATION SHOWN HEREON IS TO BE EXTENDED TO ANY PERSONS OR ENTITIES OTHER THAN THOSE SHOWN HEREON.



IF THE SIGNATURE SHOWN IS NOT IN RED, IT IS NOT A TRUE ORIGINAL BY C & C LAND SURVEYORS

NORSOUTH CORPORATION

L			
SUBDIMISION - REMAP OF ST. JOHN PROPERTY			
LOTS - 12 AND PART OF 13	UNIT -		
LAND LOT - 90 DISTRICT - 4th	SECTION -		
CITY - ATLANTA			
COUNTY - FULTON	STATE - GEORGIA		
PLAT BOOK/PAGE - 15/35	DISC -		
FIELD SURVEY DATE : 02-06-03	SCALE: 1" = 40"		
CAD DRAFTING DATE: 02-17-03	JOB No.: A 02-0699		
REVISIONS: 06-09-03 Added Bill	Board Area		

C & C LAND SURVEYORS, INC. 3459 Acworth Due West Road Suite 218 770-975-3933 ~ Fax: 770-975-3501